Menus of of Top Dining Meals at Boston College

Madison

Introduction -12
Methods -14
Results -19
Discussion - 21
Recommendations - 22
References

.25 lb shaved steak .0625 lb American cheese	.25 lb shaved chicken .0625 lb American cheese	1 Grateful burger patty, 3.2 oz grateful beef 1 slice brioche roll	Lettuce Kale Arugula Spinach Broccoli Carrots Cucumbers Note: Unable to accurately get exact recipe data, so we use the top ingredients in addition to sales reports provided by Juli, to asses a 4 month impact of Sale
Honey Q Chicken Wrap	*Buffalo Chicken Caesar*	*Chicken Parmesan*	*Grilling Grains Bowl*
.25 LB chicken fritter chunks .0313 QU BBQ sauce .0039 lb clover honey 1 flour tortilla .063 lb romaine lettuce .0313 Qt creamy caesar dreq429.68 :3	chunks		
cheese			

Over the past couple decades, research regarding the environmental impacts associated

average for the impact of beef is less than the newly researched value specifically found in the United States, which could indicate that the production practices across the US are not as sustainable as other practices across the globe (Clune et al, 2017; Asem-Hiablie et al, 2018). One study echoes this hierarchy among different food impacts, reporting that the impacts of ruminant meat (i.e. beef) were 20-100 times higher than plants, moreover other products such as eggs, poultry and seafood were consistently 2-25 times greater than the low impacts of plant production (Clark & Tilman, 2017).

Dairy is an animal product that falls well below beef in terms of impact, however because it is a direct product of ruminant livestock, it still has

animal based diets to more or complete plant based diets as a way to combat emissions could be very effective.

Due to this clear hierarchy among the food choices within our every day diets it is imperative to understand the ways in which we can reduce this impact both in production phases and our everyday

keeps the world below a temperature rise of 2 degrees, and thus lead to the

enough produce, thus this principle is important not only from an environmental perspective, but a nutritional one as well.

Principle 4 within the food and ingredients section, nuts and legumes to the center of the is a principle that advocates for protein switches. Moving away from animal protein toward plant protein and recognizes the added bonus of legumes, as they are known for replacing nitrogen in the soil and are extremely efficient as far as protein production per acre, which falls in line with improving input efficiency to produce more food per inputs (MOCAR, 2018; Clark & Tilman, 2017). Legumes include soy foods, such as tofu, which is an excellent replacement for animal proteins, and we aim to quantify the potential of plant based proteins to reduce the impacts of Boston most popular recipes.

While each of the Menus of Change 12 operational principles and 14 foods and ingredients principles are important in their own way in advancing the MOC initiative as a whole, the final principle that we noted as crucial in reducing the footprint of dining halls is Principle 10, less red meat, less (MOCAR, 2018). It is notable that MOC is not outright requesting the removal of red meat entirely, as that would be unrealistic based on consumer demand. Instead, this principle aims to compromise; suggesting that a maximum of two 3 oz savings is nutritionally recommended and achievable through a variety of strategies (MOCAR, 2018). There is a very unique and direct opportunity here for BC to reduce the food footprint, as one of the top meals in the dining hall is the Steak and Cheese. The current recipe, as shown previously, utilizes a 4 oz portion of steak, which is often doubled by students who choose the large sub, meaning that the serving size potentially could be 8-oz per sub. While it is not realistic to think that the dining hall, which responds to consumer demand, would make a protein swap in this popular sub, however limiting the times served per week could be a viable option. The current serving quota of 9 times per week 4 lunches and 5 dinners far surpasses the the MOC principle recommendation to limit red meat to 2- 3 oz servings. We chose to highlight the principle, as there is likely a substantial reduction possible to achieve with the same recipe and a simple reduction in the serving amounts each week.

It is without question that the Menus of Change initiative, which has already been adopted by Boston College dining, has many viable strategies and creative ideas that don't necessarily compromise the taste and excitement of food but do indeed promote the necessary change in our food system to combat climate change.

inquire about Lower information for the Screaming Eagle and Grateful Burger. Salad sales were calculated on an sales-order basis over four months of available data due to variability in sizes offered at the dining hall and variable record keeping from cashiers. Steve estimates for the number meals served during lunch and dinner periods (i.e., 1,000 Screaming eagles are sold each lunch) were then used to estimate the meal count per week. This was then multiplied by 16, to simulate the 16-week or semester impact of these meals. From here we calculated the GHGE associated with one worth of each of the top meals at Lower to understand how serving quotas may be amplifying some of the environmental consequences.

To accomplish quantifying potential changes and to determine sustainable swaps from animal focused to plant focused, we leveraged a few of the MOC principles. For example, we calculated the potential impact of less red meat less by decreasing menu scheduling

fTQq0.00000912 0 612 792 reW*nBT/F2 12 Tf1 0 0 1 516.7 687.97 TmreQq0.000o G[ )]TJETQJET51.65 92 re

meat less to quantify what a reduction of animal protein sources could potentially look like for Boston food footprint.

Results

Our results across both dining halls echo the LCA literature, with beef consistently having emissions significantly higher than any other food group, and vegetables consistently at the bottom of the food impact hierarchy. At lower dining hall the measured impact of a single serving of steak and cheese is 8.13 kg CO_2 which is two times greater than the chicken and cheese at 3.6 kg CO_2; and about 4 times greater than the grateful burger and the salad bar at 2.4 kg CO_2 and 2.17 kg CO_2 respectively (Figure

Our results also illustrate the cumulative energy demands (CED) of each of the top meals at the dining halls and there is clear differences between each meal. Figure 3 shows the individual CED of each recipe, the steak and cheese sub requires the most energy, totaling 23.25 MJ, which is slightly higher than the requirement for the poultry alternative at 18.65 MJ. Interestingly, while the salad bar only require half the energy input of the steak and cheese, the CED of 12.74 MJ is 3 times that of the Grateful burger which only requires 4.03 MJ (Figure 3).



Over the course of the semester the CED required for the Screaming Eagle subs, total over 3 million MJ, with the steak and cheese reaching up to 3,850,000 MJ (Figure 4). The Grateful burger is over 30 times less energy intensive than the steak and cheese based on current serving quotas, and although the Salad Bar contributes a higher individual energy demand, as shown in Figure 3, it has less of an overall impact throughout the

semester than

than

Figure 6. 612 612ra

per serving. Pork is the highest greenhouse gas contributor, and is equivalent to over twice the emissions that come from the chicken option,

In the case of the Screaming Eagle sub, it is very likely that the impact is up to twice as much because many students choose the large sub with a double meat portion, however we were unable to get information on how often students are choosing regular over a large sub sandwich. With this in mind, the MOC principles of eating less red meat less often, leveraging plant forward menus, and centering legumes and nuts on the plate are that much more important; if the actual food footprint is higher than we have calculated based on the available data to us, then the reduction scenarios would need to be taken very seriously in order to enable tangible reductions in the overall impact.

For salad, on the other hand, it is likely that our calculation is an underestimate just based off of the fact that we had no way to accurately note portion size or ingredients that students are choosing each meal, and therefore our estimates are very rough based on the buying

be helpful as preliminary exploration, however it would be ideal to have a better monitoring system in place that could

4. The dining halls could additionally implement a label system, which would need further research, but could effectively communicate to students which meals are having the highest impacts so there is a greater awareness on campus.

/P <

References

Asem-Hiablie, S., Battagliese, T., Stackhouse-Lawson, K.R., and Alan Rotz, C. (2019). A life cycle assessment of the environmental impacts of a beef system in the USA. The International Journal of